

10/056,173

T152/TELNP221USA

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A communications system providing user configuration, comprising:
  - at least one communications device configurable for a plurality of users;
  - a configuration request message generated by the communications device to initiate a configuration of the communications device; and
  - a configuration response message received by the communications device to enable configuration of the communications device, wherein the configuration response message includes configuration information associated with a combination of ~~at least one of the communications devices and~~ at least one of the plurality of users, and at least one of a plurality of configurations of the device for the user.
2. (Original) The system of claim 1, further comprising a remote computer for generating the configuration response message.
3. (Original) The system of claim 2, further comprising a plurality of configuration files associated with the plurality of users.
4. (Original) The system of claim 3, wherein the configuration files include at least one of authorization, application, and settings information associated with at least one user.
5. (Original) The system of claim 1, further comprising a user identification service for processing login information associated with at least one user.
6. (Original) The system of claim 5, wherein the login information includes at least one of a user name and a password.

10/056,173

T152/TELNP221USA

7. (Original) The system of claim 1, further comprising a message service for transmitting login information associated with at least one user.
8. (Original) The system of claim 1, further comprising a configuration service for processing the configuration response message and updating the communications device with the configuration information.
9. (Original) The system of claim 1, further comprising a logout service for sending updated user configuration information.
10. (Original) The system of claim 2, further comprising a user request service for processing a login request associated with at least one user.
11. (Original) The system of claim 2, further comprising an authentication service for verifying configurations that a user can access.
12. (Original) The system of claim 2, further comprising a record locate service for searching for configurations associated with a user.
13. (Original) The system of claim 2, further comprising a configuration message service for sending configuration information in the configuration response message.
14. (Original) The system of claim 2, further comprising an update service for updating configuration information that has changed by the user.
15. (Currently Amended) The system of claim 1, wherein the configuration response message enables the communications device to be is updated with at least one application and associated setting.

10/056,173

T152/TELNP221USA

16. (Currently Amended) The system of claim 1, wherein the configuration response message enables the communications device to be is updated with a plurality of applications and associated settings.

17. (Original) The system of claim 1, wherein the communications device further comprises at least one of a Personal Digital Assistant (PDA), palm pilot, cell phone, pager, and laptop computer.

18. (Currently Amended) A method providing a configurable communications device, comprising:

generating a configuration request message;

generating a configuration response message including configuration information associated with a combination of at least one communications device, ~~and~~ at least one of a plurality of users for the communications device, and at least one of a plurality of configurations of the device for the user based upon the configuration request message; and

configuring the communications device with the configuration information in the configuration response message.

19. (Original) The method of claim 18, further comprising,  
sending an update message from the communications device to indicate user changes in the configuration information.

20. (Original) The method of claim 19, further comprising,  
updating records associated with the user changes in the configuration information.

21. (Previously presented) The method of claim 18, further comprising,  
transmitting login information associated with a user.

22. (Original) The method of claim 21, wherein the login information includes at least one of a user name and a password.

10/056,173

T152/TELNP221USA

23. (Original) The method of claim 22, further comprising,  
authenticating the login information.
24. (Original) The method of claim 23, further comprising,  
generating an error message if the authentication fails.
25. (Original) The method of claim 18, further comprising,  
generating a logout message to transmit updated user configuration information.
26. (Currently Amended) A system providing a configurable communications device,  
comprising:  
means for generating a configuration request message;  
means for generating configuration information associated with a combination of at least  
one communications device, and at least one of a plurality of users, and at least one of a plurality  
of configurations of the device for the user for the communications device based upon the  
configuration request message; and  
means for configuring the communications device with the configuration information.
27. (Original) The system of claim 26, further comprising,  
means for sending an update message from the communications device to indicate user  
changes in the configuration information.
28. (Original) The system of claim 27, further comprising,  
means for updating records associated with the user changes in the configuration  
information.
29. (Currently Amended) A communications system providing user configuration,  
comprising:  
at least one remote computer for storing configurations associated with a  
plurality of users;  
a configuration request message processed by the remote computer to

10/056,173

T152/TELNP221USA

determine configurations associated with a combination of at least one communications device and with the plurality of users; and

a configuration response message generated by the remote computer, wherein the configuration response message includes configuration information associated with a combination of at least one the communications devices, ~~and~~ with at least one of the plurality of users, and at least one of a plurality of configurations of the device for the user.

30. (Original) The system of claim 29, further comprising a communications device for receiving the configuration response message and utilizing the configuration information to configure the communications device according to at least one of the plurality of users.

31. (Currently Amended) A communications system providing user configuration, comprising:

at least one communications device configurable for a plurality of users;

at least one remote computer for storing configuration information associated with a combination of the one or more communications devices, ~~and~~ the plurality of users, a plurality of configurations of each device for each user;

a configuration request message generated by the communications device to initiate a configuration of the communications device; and

a configuration response message generated by the remote computer to enable configuration of the communications device, wherein the configuration response message includes configuration information associated with a combination of at least one communications device, ~~and~~ with at least one of the plurality of users, and at least one of a plurality of configurations of the device for the user.